

Stack Overflow for Teams API v3

Document generated 03/18/2024

[PDF VERSION](#)

Tags | [API](#) |

Applies to: Free Basic Business Enterprise

Enterprise users can access their documentation [here](#). [Find your plan](#).

The Stack Overflow for Teams API enables you to interact with your Stack Overflow for Teams site programmatically with external scripts, reporting tools, and automated workflows. Version 3 of our API builds on API v2 with new capabilities and an updated interface.

API v3 now allows access to subject matter experts (SMEs) and user groups. With these new endpoints, you can:

- Get or update SMEs for a tag.
- Add or remove users or user groups as SMEs.
- Create user groups and add or remove members.

Read about general API v3 features in the [all-product API v3 article](#).

You'll access API v3 at <https://api.stackoverflowteams.com/v3>. API v2 is still available at <https://api.stackoverflowteams.com>, and you can use both APIs at the same time.

In addition to this document, API v3 has interactive documentation with definitions for all methods and data models at <https://api.stackoverflowteams.com/v3>. This interactive documentation system ([Swagger UI](#)) allows you to test API calls and view returned data in a convenient web interface with no API implementation required. API v3 uses modern API design patterns, making it easy and familiar for both developers and end users.

Authentication and Authorization

API v3 uses personal access tokens (PATs) to authorize API requests. You'll create one or more PATs to access API v3, and then provide a PAT with each API v3 request. Access tokens that are read-only can read data only; read-write tokens allow API calls to read, update and delete data (Business tier only). Only users authenticated into Stack Overflow for Teams can create PATs.

NOTE: *Stack Overflow for Teams Basic has read-only access to API v3, while Stack Overflow for Teams Business has read/write access.*


You can use the same API access tokens for API v2 and v3 requests. Each token's write permissions scope (read-only or read/write) applies to both APIs.

Learn more about access keys and tokens from your on-site API v2 documentation at <https://api.stackoverflowteams.com/docs/authentication>.

Personal access tokens (PATs)

A PAT authorizes an external API application to access data on your behalf, and it grants access only to the data that *you can see as a user*. A PAT with read-only permissions, for example, can view the same content (questions, answers, comments) as you, and only in the team specified on creation.

To create and manage your PATs, click your avatar (profile picture) at the top of the page. Click **Account Settings**, then **Personal access tokens** (under the "API" heading). The "Personal access tokens (PATs)" page appears, listing existing tokens.



The screenshot displays the 'Personal access tokens (PATs)' page. On the left is a sidebar with navigation options: EMAIL SETTINGS (Edit email settings, Tag watching & ignoring, Teams digests), SITE SETTINGS (Preferences), ACCESS (Your Teams, Your logins), INTEGRATIONS (Slack integrations, Microsoft Teams integrations), and API (Personal access tokens). The main content area is titled 'Personal access tokens (PATs)' and includes a 'Create a new PAT' button. Below the title is a table listing existing PATs.

Description	Team	Scope	Created ^	Expiry ⇅	
API sandbox (dev 3)	Business Test Team	Read-write	5 secs ago	on Jul 16	Delete
Test PAT #2	Basic Test Team	Read-only	1 min ago	Non expiring	Delete
My first API PAT	Basic Test Team	Read-only	3 mins ago	in 7 days	Delete
Basic reporting API	Business Test Team	Read-only	12 mins ago	on Jun 16	Delete
Created by Swagger UI	Business Test Team	Read-write	6 hours ago	in 17 hours	Delete

To create a new token, click **Create a new PAT**. The "Create a personal access token" box appears with the following fields:

PAT Description Use this field to give your PAT a name that's useful and recognizable to you.

Team scope Select the team that this PAT can access. *NOTE: each PAT can access only one team.*

Expiration Date Set the duration the PAT will be valid. For security, we recommend setting an expiration for all PATs.

Enable write access (Business only) Check this box to give the PAT read and write access.

Create a personal access token (PAT) ✕

PAT Description
Description helps you identify different PATs in a list

Engagement reporting API

Team scope
Choose the Team this PAT can access

Business Test Team

Expiration Date
For better security, set an expiration date for your PAT

30 days

Enable write access
By default PATs only have read access

[Create](#) [Cancel](#)

When you first create a PAT, its code will appear in the PAT list. Stack Overflow for Teams won't display the code again, so be sure to copy and save it for later use in your API integration.

Make sure to copy your PAT code below - you won't be able to access it again.

Description	Team	Scope	Created ▲	Expiration
Engagement reporting API	Business Test Team	Read-write	just now	on Jul 1, 2020
API sandbox (dev 3)	Business Test Team	Read-write	3 days ago	on Jul 1, 2020

If you don't save the code for a new PAT, you can't use it. You'll have to delete the PAT and create it again.

To delete a PAT from the list, click its **Delete** link.

Swagger UI authorization

The Swagger UI interface functions as an API application with full access to API v3 as the authenticated user. When authorized, Swagger UI uses its access key to create its own PAT code. You can use this code for API calls outside of Swagger UI, which may be useful for temporary API application development or testing.

Your PAT list will show a PAT ("Created by Swagger UI") for each team you authorize Swagger UI to access. PATs created through Swagger UI expire after 24 hours.

If you already have an active Swagger UI PAT, you should refresh the token to reset the 24-hour expiration window. Do this by clicking **Authorize**, then **Logout**, then **Authorize** again.

To authorize Swagger UI:

- Go to <https://api.stackoverflowteams.com/v3>.
- Click **Authorize**. An "Available authorizations" box will appear.
- Leave **Client ID** unchanged.
- Check **write_access** if the token should have write permissions (Business only).
- Check **access_team**. Choose the private team and click **Continue**.
- Click **Approve**.

Available authorizations ✕

Scopes are used to grant an application different levels of access to data on behalf of the end user. Each API may declare one or more scopes.
API requires the following scopes. Select which ones you want to grant to Swagger UI.

oauth2 (OAuth2, implicit)

Authorization URL: <https://stackoverflowteams.com/oauth/dialog>
Flow: implicit
client_id:

Scopes: [select all](#) [select none](#)

write_access
Allow write access

access_team
Access a team

When you use Swagger UI to access API v3, Swagger UI reveals its PAT code as part of the underlying API call. You can find the code in the "Curl" section of the Swagger UI execution output. Look for the following line:

```
-H 'Authorization: Bearer [PAT code]]])'
```

Need help? Submit an issue or question through our [support portal](#).